

	Type	Hits	Search Text	DBs
31	BRS	18	((DBMS same database) and (database near2 trigger)) and (updat\$ or insert) and (notification with database)) and (database with (state or event or message))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	144	(DBMS same database) and (managed near2 object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	61	((DBMS same database) and (managed near2 object)) and (state with database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
34	BRS	50	((DBMS same database) and (managed near2 object)) and (state with database)	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	32	((DBMS same database) and (managed near2 object)) and (state with database) and notification and (conver\$ with protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	39	((DBMS same database) and (managed near2 object)) and notification and (conver\$ with protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	42	((DBMS same database) and (managed near2 object)) and (state with database) and notification	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	21	(event near2 notification) with (managed near2 object)	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	1	((event near2 notification) with (managed near2 object)) and (notification near2 interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	3	((event near2 notification) with (managed near2 object)) and (convert\$ near3 protocol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	1	(notification near2 interface) with (managed near2 object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	83	(object with (notification near2 interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
43	BRS	0	(providing with (notification near2 interface)) same (managed near2 object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
44	BRS	7	(providing with (notification near2 interface)) with object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
45	BRS	1	(DBMS same database) and ((convert\$ near2 protocol) with database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	BRS	26	(DBMS same database) and ((convert\$ near2 protocol)) and (database near2 transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
47	BRS	42	(DBMS same database) and ((convert\$ near2 protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	BRS	27	((DBMS same database) and ((convert\$ near2 protocol))) and ((transfer\$ or transmit\$) same database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
49	BRS	24	((DBMS same database) and ((convert\$ near2 protocol))) and ((transfer\$ or transmit\$) same database)	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	2	(convert\$ near2 protocol) same DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	2	((convert\$ near2 protocol) and DBMS) and (extend\$ with database)	USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	52	(convert\$ near2 protocol) and DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
53	BRS	1	6363421.pn. and (convert\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
54	BRS	0	(convert\$ near2 portocol) same database	USPAT; EPO; JPO; DERWENT; IBM_TDB
55	BRS	30	((convert\$ near2 protocol) same database) and (updat\$ with database)	USPAT; EPO; JPO; DERWENT; IBM_TDB
56	BRS	12	((convert\$ near2 protocol) same database) and (updat\$ with database)) and notification	USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	140	(convert\$ near2 protocol) same database	USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	5902	Jenkins.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	BRS	300	Jenkins.in.	US-PGPUB
60	BRS	300	Jenkins.in.	US-PGPUB
61	BRS	0	Jenkins.in. and 2002/0188499	US-PGPUB

	Type	Hits	Search Text	DBs
62	BRS	212	Jenkins.in. and "2002"	US-PGPUB
63	BRS	0	Jenkins.in. and 2002/0188499	US-PGPUB
64	BRS	212	Jenkins.in. and "2002"	US-PGPUB
65	BRS	3	Jenkins.in. and "2002" and 705/10	US-PGPUB
66	BRS	0	6236996.pn. and notify	US-PGPUB
67	BRS	0	6236996.pn. and notification	US-PGPUB
68	BRS	2	6236996.pn. and notification	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	5	DBMS same (change near2 notification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
70	BRS	4	((convert\$ near2 protocol) same database) and DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
71	BRS	1	((convert\$ near2 protocol) same database) and DBMS and 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
72	BRS	10	((convert\$ near2 protocol) same database) and 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
73	BRS	140	(convert\$ near2 protocol) same database	USPAT; EPO; JPO; DERWENT; IBM_TDB
74	BRS	14	((convert\$ near2 protocol) same database) and (XML or HTML)	USPAT; EPO; JPO; DERWENT; IBM_TDB
75	BRS	0	((convert\$ near2 protocol) same database) and ((XML or HTML) same protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB
76	BRS	13	((convert\$ near2 protocol) same database) and ((XML or HTML) same protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	316	(convert\$ near3 URL) with URL	USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	6	((convert\$ near3 URL) with URL) and DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	13	((convert\$ near3 URL) with URL) same transfer\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	10	((convert\$ near2 protocol) same database) and 707/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB
81	BRS	7	((convert\$ near2 protocol) same database) and 707/\$.ccls. and (conver\$ with server)	USPAT; EPO; JPO; DERWENT; IBM_TDB
82	BRS	0	5848415.pn. and (conver\$ near2 protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB
83	BRS	1	5848415.pn. and (conver\$ near3 protocol)	USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	2	6236996.pn. and (notification with event)	USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	0	(control near2 interface) same (extending near2 transaction)	USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	0	(module with ((extending near2 transaction) same database))	USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	2	((((extending near2 transaction) same database))	USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	25	((((extend\$ near2 transaction) same database))	USPAT; EPO; JPO; DERWENT; IBM_TDB
89	BRS	0	6236996.pn. and extend\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
90	BRS	1	6236996.pn. and exten\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	1	6236996.pn. and insert	USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	1178	database with extended	USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	17	(session with (database with extended))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
94	BRS	0	(session with (database near3 extended))	USPAT; EPO; JPO; DERWENT; IBM_TDB
95	BRS	61	(database near3 extended) same operations	USPAT; EPO; JPO; DERWENT; IBM_TDB
96	BRS	14	((database near3 extended) same operations) and session	USPAT; EPO; JPO; DERWENT; IBM_TDB
97	BRS	0	10/075642.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
98	BRS	0	10/075,642.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
99	BRS	1	10/075,642	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
100	BRS	1	10/075,642 and extend\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
101	BRS	1	10/075,642 and transactions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
102	BRS	1	10/075,642 and (operations with transaction)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
103	BRS	3174	(operations with transaction) same users	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
104	BRS	59	( (operations with transaction) same users ) and (database with extended)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
105	BRS	33	( (operations with transaction) same users ) and (database with extended) and session	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
106	BRS	33	( (operations with transaction) same users ) and (database with extended) and session	USPAT; EPO; JPO; DERWENT; IBM_TDB
107	BRS	0	(extending near2 transaction) with DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	0	(extending near3 transaction) with DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	1	(extending near3 operation) with DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	1	(extending near3 transaction) same DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
111	BRS	2086	extend\$ with database	USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	346	(extend\$ with database) and DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	94	(extend\$ with database) and session and DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	49	(extend\$ with database) and session and DBMS and (operations same transaction)	USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	6	(extend\$ with database) and session and DBMS and ((operations same transaction) same parallel)	USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	1	6236996.pn. and (user near2 application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
117	BRS	2003	(control near2 (interface or module)) with extend\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
118	BRS	6	((control near2 (interface or module)) with extend\$) and DBMS and session	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
119	BRS	96	DBMS and (module near3 extend\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
120	BRS	1	DBMS same (module near3 extend\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
121	BRS	75	DBMS and (module near3 extend\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
122	BRS	19	(DBMS and (module near3 extend\$)) and (group near2 access)	USPAT; EPO; JPO; DERWENT; IBM_TDB
123	BRS	6	DBMS and ((module near3 extend\$) same access)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
124	BRS	0	DBMS and ((control near2 interface) near3 extend\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
125	BRS	75	DBMS and (module near3 extend\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
126	BRS	0	DBMS and (module with (extending near2 transaction))	USPAT; EPO; JPO; DERWENT; IBM_TDB
127	BRS	0	DBMS and (module with (extend\$ near2 transaction))	USPAT; EPO; JPO; DERWENT; IBM_TDB
128	BRS	20	DBMS and (module same (extend\$ near2 transaction))	USPAT; EPO; JPO; DERWENT; IBM_TDB
129	BRS	37	DBMS and (extend\$ near2 transaction)	USPAT; EPO; JPO; DERWENT; IBM_TDB
130	BRS	477	(extend\$ near3 transaction)	USPAT; EPO; JPO; DERWENT; IBM_TDB
131	BRS	31	( (extend\$ near3 transaction)) and (control near2 module)	USPAT; EPO; JPO; DERWENT; IBM_TDB
132	BRS	13	( (extend\$ near3 transaction)) and (control near2 module) and DBMS	USPAT; EPO; JPO; DERWENT; IBM_TDB
133	BRS	258	DBMS and (function with extend\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
134	BRS	1	DBMS and ((function with extend\$) with transaction)	USPAT; EPO; JPO; DERWENT; IBM_TDB
135	BRS	5	(extending with transaction) same operation and database	USPAT; EPO; JPO; DERWENT; IBM_TDB
136	BRS	9	DBMS and (extending near3 transaction)	USPAT; EPO; JPO; DERWENT; IBM_TDB
137	BRS	210	extended near2 transaction	USPAT; EPO; JPO; DERWENT; IBM_TDB
138	BRS	3	(extended near2 transaction) and (updating near2 database)	USPAT; EPO; JPO; DERWENT; IBM_TDB